

CSc 110, Spring 2018


Lecture 28: Testing

Thanks to Atif Memon from UMD for disaster examples











- Mars Climate Orbiter
 - Purpose: to relay signals from the Mars Polar Lander once it reached the surface of the planet
 - Disaster: smashed into the planet instead of reaching a safe orbit
 - Why: Software bug failure to convert English measures to metric values



- THERAC-25 Radiation Therapy
 - 1986: two cancer patients at the East Texas Cancer Center in Tyler received fatal radiation overdose
 - Why: Software bug mishandled race condition (i.e., miscoordination between concurrent tasks)





- London Ambulance Service
 - Purpose: automate many of the humanintensive processes of manual dispatch systems associated with ambulance services in the UK – functions: Call taking
 - Failure of the London Ambulance Service on 26 and 27 November 1992
 - Load increased, emergencies accumulated, system made incorrect allocations

Industry comparison

- "If the automobile industry had developed like the software industry, we would all be driving \$25 cars that get 1,000 miles to the gallon."
- "Yeah, and if cars were like software, they would crash twice a day for no reason, and when you called for service, they'd tell you to reinstall the engine."

Now days you can get a job as a software engineer developing cars!

You will spend a lot of time testing and debugging

You can get a job as a Software Engineer in Test

• Terrible things can happen if you don't test well enough!

Types of testing

- Black box testing: testing the program does what the specification requires
- White box testing: examining code for potential problems
- Unit testing: verifies correctness of a small piece of testable code in isolation
- Integration test: verifies different small already tested components of the program work together correctly
- Regression testing: a complete retesting of a modified program
- Stress testing: tests the behavior under peak user volumes
- Performance, security, usability and many more

Testing example

```
def main():
      data = [3, 5, 2, 7, 45, 43, 5, 3]
      remove bad pairs (data)
      print(data)
remove bad pairs(list):
    if (len(list) % 2 != 0):
        v.remove(list[-1])
      i = 0
    while(i < len(list)):</pre>
        if (i % 2 != 0 and list[i - 1] > list[i]):
            list.remove(i - 1)
            list.remove(i)
```