


CSc 110, Spring 2018

Lecture 33: Dictionaries

Adapted from slides by Marty Stepp and Stuart Reges

DICTIONARY ATTACK!



Exercise

- Write a program that counts the number of positive words and the number of negative words in a large text file (say, *Moby Dick* or the King James Bible).

Creating a Set

- An empty set:

```
a = set()
```

- A set with elements in it:

```
b = {"the", "hello", "happy"}
```

<code>a.add(val)</code>	adds element <code>val</code> to <code>a</code>
<code>a.discard(val)</code>	removes <code>val</code> from <code>a</code> if present
<code>a.pop()</code>	removes and returns a random element from <code>a</code>
<code>a - b</code>	returns a new set containing values in <code>a</code> but not in <code>b</code>
<code>a b</code>	returns a new set containing values in either <code>a</code> or <code>b</code>
<code>a & b</code>	returns a new set containing values in both <code>a</code> and <code>b</code>
<code>a ^ b</code>	returns a new set containing values in <code>a</code> or <code>b</code> but not both


You can also use `in`, `len()`, etc.

Exercise

- Write a program to count the number of occurrences of each unique word in a large text file (e.g. *Moby Dick*).
 - Allow the user to type a word and report how many times that word appeared in the book.
 - Report all words that appeared in the book at least 500 times.
- What structure is appropriate for this problem?

Dictionaries

- **dictionary:** Holds a set of unique *keys* and a collection of *values*, where each key is associated with one value.
 - a.k.a. "map", "associative array", "hash"
- basic dictionary operations:
 - Add a mapping from a key to a value.
 - Retrieve a value mapped to a key.
 - Remove a given key and its mapped value.



Dictionary operations

<code>items()</code>	return a new view of the dictionary's items ((key, value) pairs)
<code>pop(key)</code>	removes any existing mapping for the given key and returns it (error if key not found)
<code>popitem()</code>	removes and returns an arbitrary (key, value) pair (error if empty)
<code>keys()</code>	returns the dictionary's keys
<code>values()</code>	returns the dictionary's values

You can also use `in`, `len()`, etc.

Looping over a set or dictionary?

- You must use a `for element in structure` loop
 - needed because sets have no indexes; can't get element `i`

Example:

```
for item in a:  
    print(item)
```

Outputs:

```
the  
happy  
hello
```

items, keys and values

- `items` function returns tuples of each key-value pair
 - can loop over the keys in a for loop

```
ages = {}
ages["Merlin"] = 4
ages["Chester"] = 2
ages["Purrcival"] = 12
for cat, age in ages.items():
    print(cat + " -> " + str(age))
```

- `values` function returns all values in the dictionary
 - no easy way to get from a value to its associated key(s)
- `keys` function returns all keys in the dictionary

Exercise

- Use word counts to figure out if a document is positive or negative
 - Count all of the positive words and count all of the negative words.
 - Whichever count is bigger is the sentiment of the document.
- How do we know which words are positive and which are negative?

Exercise

Consider the following function:

```
def mystery(list1, list2):  
    result = {}  
    for i in range(0, len(list1)):  
        result[list1[i]] = list2[i]  
        result[list2[i]] = list1[i]  
    return result
```

What is returned after calls with the following parameters?

list1: [b, l, u, e] list2: [s, p, o, t]

dictionary returned: _____

list1: [k, e, e, p] list2: [s, a, f, e]

dictionary returned: _____

list1: [s, o, b, e, r] list2: [b, o, o, k, s]

dictionary returned: _____