


CS& 141, Winter 2021

Lecture 9: Boolean; Assertions



Type boolean

- **boolean**: A logical type whose values are `true` and `false`.
 - A logical **test** is actually a `boolean` expression.
 - Like other types, it is legal to:
 - create a `boolean` variable
 - pass a `boolean` value as a parameter
 - return a `boolean` value from methods
 - call a method that returns a `boolean` and use it as a test

```
boolean minor      = age < 21;
boolean isProf     = name.contains("Prof");
boolean lovesCSE   = true;

// allow only CSE-loving students over 21
if (minor || isProf || !lovesCSE) {
    System.out.println("Can't enter the club!");
}
```


Using boolean

- Why is type `boolean` useful?
 - Can capture a complex logical test result and use it later
 - Can write a method that does a complex test and returns it
 - Makes code more readable
 - Can pass around the result of a logical test (as param/return)

```
boolean goodAge      = age >= 12 && age < 29;  
boolean goodHeight  = height >= 78 && height < 84;  
boolean rich        = salary >= 100000.0;  
  
if ((goodAge && goodHeight) || rich) {  
    System.out.println("Okay, let's go out!");  
} else {  
    System.out.println("It's not you, it's me...");  
}
```

"Boolean Zen", part 1

- Students new to `boolean` often test if a result is `true`:

```
if (isPrime(57) == true) {    // bad
    ...
}
```

- But this is unnecessary and redundant. Preferred:

```
if (isPrime(57)) {           // good
    ...
}
```

- A similar pattern can be used for a `false` test:

```
if (isPrime(57) == false) {  // bad
if (!isPrime(57)) {          // good
```


"Boolean Zen", part 2

- Methods that return `boolean` often have an `if/else` that returns `true` or `false`:

```
public static boolean bothOdd(int n1, int n2) {  
    if (n1 % 2 != 0 && n2 % 2 != 0) {  
        return true;  
    } else {  
        return false;  
    }  
}
```

- But the code above is unnecessarily verbose.

Solution w/ boolean variable

- We could store the result of the logical test.

```
public static boolean bothOdd(int n1, int n2) {  
    boolean test = (n1 % 2 != 0 && n2 % 2 != 0);  
    if (test) {    // test == true  
        return true;  
    } else {      // test == false  
        return false;  
    }  
}
```

- Notice: Whatever `test` is, we want to return that.
 - If `test` is `true` , we want to return `true`.
 - If `test` is `false`, we want to return `false`.

Solution w/ "Boolean Zen"

- Observation: The `if/else` is unnecessary.
 - The variable `test` stores a `boolean` value; its value is exactly what you want to return. So return that!

```
public static boolean bothOdd(int n1, int n2) {  
    boolean test = (n1 % 2 != 0 && n2 % 2 != 0);  
    return test;  
}
```

- An even shorter version:
 - We don't even need the variable `test`. We can just perform the test and return its result in one step.

```
public static boolean bothOdd(int n1, int n2) {  
    return (n1 % 2 != 0 && n2 % 2 != 0);  
}
```

"Boolean Zen" template

- Replace

```
public static boolean name(parameters) {  
    if (test) {  
        return true;  
    } else {  
        return false;  
    }  
}
```

- with

```
public static boolean name(parameters) {  
    return test;  
}
```


De Morgan's Law

- **De Morgan's Law:** Rules used to negate boolean tests.
 - Useful when you want the opposite of an existing test.

Original Expression	Negated Expression	Alternative
<code>a && b</code>	<code>!a !b</code>	<code>!(a && b)</code>
<code>a b</code>	<code>!a && !b</code>	<code>!(a b)</code>

- Example:

Original Code	Negated Code
<pre>if (x == 7 && y > 3) { ... }</pre>	<pre>if (x != 7 y <= 3) { ... }</pre>

Boolean practice questions

- Write a method named `isVowel` that returns whether a `String` is a vowel (a, e, i, o, or u), case-insensitively.
 - `isVowel("q")` returns `false`
 - `isVowel("A")` returns `true`
 - `isVowel("e")` returns `true`
- Change the above method into an `isNonVowel` that returns whether a `String` is any character except a vowel.
 - `isNonVowel("q")` returns `true`
 - `isNonVowel("A")` returns `false`
 - `isNonVowel("e")` returns `false`

Boolean practice answers

```
// Enlightened version. I have seen the true way (and false way)
public static boolean isVowel(String s) {
    return s.equalsIgnoreCase("a") || s.equalsIgnoreCase("e") ||
           s.equalsIgnoreCase("i") || s.equalsIgnoreCase("o") ||
           s.equalsIgnoreCase("u");
}
```

```
// Enlightened "Boolean Zen" version
public static boolean isNonVowel(String s) {
    return !s.equalsIgnoreCase("a") && !s.equalsIgnoreCase("e") &&
           !s.equalsIgnoreCase("i") && !s.equalsIgnoreCase("o") &&
           !s.equalsIgnoreCase("u");

    // or, return !isVowel(s);
}
```

When to return?

- Methods with loops and return values can be tricky.
 - When and where should the method return its result?
- Write a method `seven` that accepts a `Random` parameter and uses it to draw up to ten lotto numbers from 1-30.
 - If any of the numbers is a lucky 7, the method should stop and return `true`. If none of the ten are 7 it should return `false`.
 - The method should print each number as it is drawn.

15 29 18 29 11 3 30 17 19 22

(first call)

29 5 29 4 7

(second call)

Flawed solution

```
// Draws 10 lotto numbers; returns true if one is 7.
public static boolean seven(Random rand) {
    for (int i = 1; i <= 10; i++) {
        int num = rand.nextInt(30) + 1;
        System.out.print(num + " ");

        if (num == 7) {
            return true;
        } else {
            return false;
        }
    }
}
```

- The method always returns immediately after the first draw.
- This is wrong if that draw isn't a 7; we need to keep drawing.

Returning at the right time

```
// Draws 10 lotto numbers; returns true if one is 7.
public static boolean seven(Random rand) {
    for (int i = 1; i <= 10; i++) {
        int num = rand.nextInt(30) + 1;
        System.out.print(num + " ");

        if (num == 7) {        // found lucky 7; can exit now
            return true;
        }
    }

    return false;    // if we get here, there was no 7
}
```

- Returns `true` immediately if 7 is found.
- If 7 isn't found, the loop continues drawing lotto numbers.
- If all ten aren't 7, the loop ends and we return `false`.

Logical assertions

- **assertion:** A statement that is either true or false.

Examples:

- Java was created in 1995.
 - The sky is purple.
 - 23 is a prime number.
 - 10 is greater than 20.
 - x divided by 2 equals 7. (*depends on the value of x*)
-
- An assertion might be false ("The sky is purple" above), but it is still an assertion because it is a true/false statement.

Reasoning about assertions

- Suppose you have the following code:

```
if (x >= 3) {  
    // Point A  
    x--;  
} else {  
    // Point B  
    x++;  
    // Point C  
}  
// Point D
```

- What do you know about x 's value at the three points?
 - Is $x > 3$? Always? Sometimes? Never?

Assertions in code

- We can make assertions about our code and ask whether they are true at various points in the code.
 - Valid answers are ALWAYS, NEVER, or SOMETIMES.

```
System.out.print("Type a nonnegative number: ");  
double number = console.nextDouble();  
// Point A: is number < 0.0 here? (SOMETIMES)
```

```
while (number < 0.0) {  
    // Point B: is number < 0.0 here? (ALWAYS)  
    System.out.print("Negative; try again: ");  
  
    number = console.nextDouble();  
    // Point C: is number < 0.0 here? (SOMETIMES)  
}
```

```
// Point D: is number < 0.0 here? (NEVER)
```

Reasoning about assertions

- Right after a variable is initialized, its value is known:

```
int x = 3;  
// is x > 0?  ALWAYS
```

- In general you know nothing about parameters' values:

```
public static void mystery(int a, int b) {  
    // is a == 10?  SOMETIMES
```

- But inside an if, while, etc., you may know something:

```
public static void mystery(int a, int b) {  
    if (a < 0) {  
        // is a == 10?  NEVER  
        ...  
    }  
}
```


Assertions and loops

- At the start of a loop's body, the loop's test must be `true`:

```
while (y < 10) {  
    // is y < 10?  ALWAYS  
    ...  
}
```

- After a loop, the loop's test must be `false`:

```
while (y < 10) {  
    ...  
}  
// is y < 10?  NEVER
```

- Inside a loop's body, the loop's test may become `false`:

```
while (y < 10) {  
    y++;  
    // is y < 10?  SOMETIMES  
}
```

"Sometimes"

- Things that cause a variable's value to be unknown (often leads to "sometimes" answers):
 - reading from a `Scanner`
 - reading a number from a `Random` object
 - a parameter's initial value to a method
- If you can reach a part of the program both with the answer being "yes" and the answer being "no", then the correct answer is "sometimes".
 - If you're unsure, "Sometimes" is a good guess.

Assertion example 1

```
public static void mystery(int x, int y) {  
    int z = 0;
```

```
    // Point A
```

```
    while (x >= y) {
```

```
        // Point B
```

```
        x = x - y;
```

```
        z++;
```

```
        if (x != y) {
```

```
            // Point C
```

```
            z = z * 2;
```

```
        }
```

```
    // Point D
```

```
}
```

```
// Point E
```

```
System.out.println(z);
```

```
}
```

Which of the following assertions are true at which point(s) in the code?
Choose ALWAYS, NEVER, or SOMETIMES.

	$x < y$	$x == y$	$z == 0$
Point A	SOMETIMES	SOMETIMES	ALWAYS
Point B	NEVER	SOMETIMES	SOMETIMES
Point C	SOMETIMES	NEVER	NEVER
Point D	SOMETIMES	SOMETIMES	NEVER
Point E	ALWAYS	NEVER	SOMETIMES

Assertion example 2

```
public static int mystery(Scanner console) {  
    int prev = 0;  
    int count = 0;  
    int next = console.nextInt();
```

```
    // Point A
```

```
    while (next != 0) {
```

```
        // Point B
```

```
        if (next == prev) {
```

```
            // Point C
```

```
            count++;
```

```
        }
```

```
        prev = next;
```

```
        next = console.nextInt();
```

```
        // Point D
```

```
    }
```

```
    // Point E
```

```
    return count;
```

```
}
```

Which of the following assertions are true at which point(s) in the code?
Choose ALWAYS, NEVER, or SOMETIMES.

	next == 0	prev == 0	next == prev
Point A	SOMETIMES	ALWAYS	SOMETIMES
Point B	NEVER	SOMETIMES	SOMETIMES
Point C	NEVER	NEVER	ALWAYS
Point D	SOMETIMES	NEVER	SOMETIMES
Point E	ALWAYS	SOMETIMES	SOMETIMES

Assertion example 3

```
// Assumes y >= 0, and returns x^y
public static int pow(int x, int y) {
    int prod = 1;

    // Point A
    while (y > 0) {
        // Point B
        if (y % 2 == 0) {
            // Point C
            x = x * x;
            y = y / 2;
            // Point D
        } else {
            // Point E
            prod = prod * x;
            y--;
            // Point F
        }
    }
    // Point G
    return prod;
}
```

Which of the following assertions are true at which point(s) in the code?
Choose ALWAYS, NEVER, or SOMETIMES.

	$y > 0$	$y \% 2 == 0$
Point A	SOMETIMES	SOMETIMES
Point B	ALWAYS	SOMETIMES
Point C	ALWAYS	ALWAYS
Point D	ALWAYS	SOMETIMES
Point E	ALWAYS	NEVER
Point F	SOMETIMES	ALWAYS
Point G	NEVER	ALWAYS